



Anne Arundel Soil Conservation District

2662 Riva Road Suite 150
Annapolis, Maryland 21401
410-571-6757 WWW.AASCD.org

Advancing the Wise Use of Our Natural Resources

Anne Arundel Soil Conservation District Board of Supervisors; Resolution 2021-1

Minor Change List for Approved Sediment and Erosion Control Plans

The purpose of this resolution is to establish, as a policy of the Anne Arundel Soil Conservation District, a procedure for how the District and the Department of Inspections and Permits will handle changes to the approved plan once construction has commenced.


For all field changes that require immediate attention but fall outside the list of minor changes listed below, a red lined plan revision must be prepared by a professional engineer. Five sets of plans will need to be submitted to the grading inspector who will deliver said plans to the District for approval. Within two weeks, a formal revision is required to be submitted through the Permit Application Center. There are no exceptions.

Red lined plan revisions are defined as non-structural sediment control changes to an active grading permit plan that may or may not include the list of minor changes below and will not impact the limits of disturbance or impact the approval of other departments in the county.

The following items may be considered minor changes and can be made by the inspector on site if the total movement of the device is less than 20 feet and does not impact the limit of disturbance, steep slopes, wetlands or critical areas and their respective buffers:

1. The addition or movement of reinforced silt fence or super silt fence.
2. The field adjustment of a sediment trapping device.
3. The field adjustment of any type of earth dike or swale.
4. The addition of inlet protection (with care being made to evaluate if a flooding situation may be created).
5. For sites with less than 1/2 acres of disturbance, the movement or addition of stockpiles.
6. The addition of check dams where concentrated flow occurs.
7. The use of filtering bags for dewatering.
8. The addition of mulch filtering devices where colloidal material is leaving the site.

Affirmed by the Anne Arundel Soil Conservation District
Board of Supervisors this date; February 17, 2021


Brian Riddle, Chairman, Board of Supervisors