

## SECTION 1: FACILITY DESCRIPTION AND CONTACT INFORMATION

### 1.1 Facility Information

#### Facility Information

Name of Facility: Annapolis Water Reclamation Facility (WRF)

Street: 7228 Edgewood Road

City: Annapolis State: MD ZIP Code: 21403

County or Similar Subdivision: Anne Arundel County

Permit Tracking Number: 02-SW-0756 (if covered under a previous permit)

Latitude/Longitude (Use **one** of three possible formats, and specify method)

Latitude:

Longitude:

1. 38° 57' 33" N (degrees, minutes, seconds)

1. 76° 28' 39" W (degrees, minutes, seconds)

2. \_\_\_ ° \_\_\_ ' \_\_\_ " N (degrees, minutes, decimal)

2. \_\_\_ ° \_\_\_ ' \_\_\_ " W (degrees, minutes, decimal)

3. \_\_\_ . \_\_\_ ° N (decimal)

3. \_\_\_ . \_\_\_ ° W (decimal)

Method for determining latitude/longitude (check one):

USGS topographic map (specify scale: 1:24,000)  EPA Web site  GPS

Other (please specify): \_\_\_\_\_

Is the facility located in Indian Country?  Yes  No

If yes, name of Reservation, or if not part of a Reservation, indicate "not applicable." \_\_\_\_\_

Is this facility considered a Federal Facility?  Yes  No

Estimated area of industrial activity at site exposed to stormwater: 32.3 (acres)

#### Discharge Information

Does this facility discharge stormwater into an MS4?  Yes  No

If yes, name of MS4 operator: Anne Arundel County

Name(s) of water(s) that receive stormwater from your facility Back Creek/Severn River

Are any of your discharges directly into any segment of an "impaired" water?  Yes  No

If Yes, identify name of the impaired water (and segment, if applicable): Severn River

Identify the pollutant(s) causing the impairment: Fecal coliform, nutrients and suspended sediment

For pollutants identified, which do you have reason to believe will be present in your discharge? \_\_\_\_\_

Stormwater discharge may contain nutrients and suspended sediment.

Based on EPA Industrial SWPPP Template, January 13, 2009

G:\86\15196\WP\Reports\Final SWPPP\2014.01 Annapolis WRF SWPPP.doc

For pollutants identified, which have a completed TMDL? Each of them.

Do you discharge into a receiving water designated as a Tier 2 (or Tier 2.5) water?  Yes  No

Are any of your stormwater discharges subject to effluent guidelines?  Yes  No

If Yes, which guidelines apply? \_\_\_\_\_

Primary SIC Code or 2-letter Activity Code: TW, 4952  
(refer to Appendix D of the 2008 MSGP)

Identify your applicable sector and subsector: Sector T: Treatment Works

## 1.2 Contact Information/Responsible Parties

### Facility Operator (s):

Name: Utilities Team Manager (see "Current Facility Staff" on page ii of SWPPP for contact information)  
Address: 7228 Edgewood Road  
City, State, Zip Code: Annapolis, MD 21403  
Telephone Number: (410) 222-1332  
Email address: (see "Current Facility Staff" on page ii of SWPPP for contact information)  
Fax number: (410) 222-1758

### Facility Owner (s):

Name: Anne Arundel County Department of Public Works (co-owner: City of Annapolis)  
Address: 2662 Riva Road  
City, State, Zip Code: Annapolis, MD 21401  
Telephone Number: (410) 222-7500  
Email address: pwcust00@aacounty.org  
Fax number: (410) 222-4504

### SWPPP Contact:

Name: Utilities Team Manager (see "Current Facility Staff" on page ii of SWPPP for contact information)  
Telephone number: (410) 222-1332  
Email address: (see "Current Facility Staff" on page ii of SWPPP for contact information)  
Fax number: (410) 222-1758