

Table 7- Pre February 2014 Septic System Connections to Wastewater Treatment Plant

OBJECTID	ACCOUNT_NO	Imper_Acres	Imperv_Credit	WATERSHED_CODE
2	162201244601	0.773254103	0.39	02-13-10-03
3	174607934000	0.173881089	0.39	02-13-10-03
4	200002465991	0.778272056	0.39	02-13-10-03
5	200090044768	1.115781116	0.39	02-13-11-05
7	215890027774	0.382863343	0.39	02-13-10-02
8	216490222990	0.000593609	0.39	02-13-11-05
9	241107901620	0.134074307	0.39	02-13-10-02
10	266690085938	0.470750643	0.39	02-13-10-02
11	274904831500	0.081513514	0.39	02-13-10-03
12	274907385000	0.047225665	0.39	02-13-10-03
13	274910500155	0.060299535	0.39	02-13-10-03
14	274990012141	0.042695772	0.39	02-13-10-03
15	274990017792	0.063327366	0.39	02-13-10-03
16	288890009485	0.072691029	0.39	02-13-10-03
17	300001615575	0.323317953	0.39	02-13-10-02
18	300002021700	0.509965512	0.39	02-13-10-01
19	300002642200	0.108335944	0.39	02-13-09-03
20	300002911600	0.069255235	0.39	02-13-10-01
21	300003337608	0.089092259	0.39	02-13-10-01
22	300003515400	0.237104031	0.39	02-13-10-01
23	300007002100	0.356598819	0.39	02-13-10-01
24	300007646800	0.139765082	0.39	02-13-10-01
25	300008374105	0.105529609	0.39	02-13-09-03
26	300011699800	0.142270171	0.39	02-13-10-01
27	300011988910	0.454939442	0.39	02-13-10-01
28	300014530400	0.237104031	0.39	02-13-10-01
29	300014688909	0.09456735	0.39	02-13-10-01
30	300014897725	0.280206045	0.39	02-13-10-02
31	300014898400	0.097205689	0.39	02-13-10-01
32	300021079800	0.641597643	0.39	02-13-10-01
33	300021285670	0.065877101	0.39	02-13-10-01
34	300022506400	0.046612247	0.39	02-13-10-01
35	300023336600	0.02130207	0.39	02-13-10-01

Table 7- Pre February 2014 Septic System Connections to Wastewater Treatment Plant

OBJECTID	ACCOUNT_NO	Imper_Acres	Imperv_Credit	WATERSHED_CODE
36	300025923700	0.219633092	0.39	02-13-10-01
37	300028142910	0.994099264	0.39	02-13-10-01
38	300028824600	0.362944593	0.39	02-13-09-03
39	300029258700	0.077590286	0.39	02-13-10-01
40	300029950500	0.423201584	0.39	02-13-10-02
41	300031856400	0.10279132	0.39	02-13-09-02
42	300033099000	0.095115055	0.39	02-13-10-01
43	300033535800	0.093215354	0.39	02-13-10-01
44	300090008947	0.021367437	0.39	02-13-10-01
46	300090221084	0.166960116	0.39	02-13-10-01
47	311190229571	0.07641891	0.39	02-13-10-01
48	316509700000	0.093493528	0.39	02-13-10-01
49	318400604500	0.070364373	0.39	02-13-10-02
50	318422814200	0.079195234	0.39	02-13-10-02
51	318424857100	0.194125938	0.39	02-13-10-02
52	336018861900	0.040060646	0.39	02-13-09-03
53	336021529200	0.139397302	0.39	02-13-09-03
54	336290035634	0.054346948	0.39	02-13-09-03
55	338827458070	0.217009363	0.39	02-13-10-01
56	338890066038	0.051465834	0.39	02-13-09-03
58	345513127100	0.080364767	0.39	02-13-09-03
59	345520407800	0.256627715	0.39	02-13-09-03
60	345526234600	0.163455522	0.39	02-13-09-03
61	345528306805	0.110525415	0.39	02-13-09-03
62	345528632855	0.118648346	0.39	02-13-09-03
63	345533284200	0.109630753	0.39	02-13-09-03
64	346134276900	0.050860934	0.39	02-13-10-02
65	363410795810	0.043235488	0.39	02-13-10-01
66	363490004525	0.053100538	0.39	02-13-10-01
67	365833568605	0.05095019	0.39	02-13-09-03
69	366227590405	0.079254285	0.39	02-13-10-02
70	370290006199	0.074397112	0.39	02-13-10-01
71	374601789312	0.062902942	0.39	02-13-10-01

Table 7- Pre February 2014 Septic System Connections to Wastewater Treatment Plant

OBJECTID	ACCOUNT_NO	Imper_Acres	Imperv_Credit	WATERSHED_CODE
72	374623580190	0.110704956	0.39	02-13-10-01
73	387709702245	0.094768189	0.39	02-13-10-01
74	390033778500	0.165573017	0.39	02-13-10-02
78	390607691779	0.07448218	0.39	02-13-09-03
89	390614336249	0.053439338	0.39	02-13-09-03
90	390614336450	0.053976641	0.39	02-13-09-03
107	390631683165	0.066849554	0.39	02-13-09-03
113	400000388004	0.254360969	0.39	02-13-11-05
114	400001225000	0.131211172	0.39	02-13-11-05
115	400001420000	0.065002237	0.39	02-13-10-02
116	400002058000	0.04017994	0.39	02-13-11-05
117	400002095750	0.117341917	0.39	02-13-11-05
118	400002128600	0.062547709	0.39	02-13-10-02
119	400003271855	0.2323155	0.39	02-13-10-02
120	400003352525	0.561532182	0.39	02-13-11-05
121	400005670000	0.085379254	0.39	02-13-09-06
122	400006554500	0.078922141	0.39	02-13-09-06
123	400090034461	3.240503984	0.39	02-13-09-06
124	400090068132	0.872418168	0.39	02-13-11-05
125	400090085426	0.06857791	0.39	02-13-10-02
126	400090224251	0.089138819	0.39	02-13-10-02
127	413590228952	0.070740349	0.39	02-13-10-02
128	432290011829	0.02934963	0.39	02-13-10-02
129	444405524000	0.160446736	0.39	02-13-09-06
130	444406615000	0.077587068	0.39	02-13-09-06
131	467690213539	0.115820103	0.39	02-13-10-02
132	474690010529	0.086931088	0.39	02-13-09-06
133	478890035494	0.060301629	0.39	02-13-10-02
134	500000274600	0.292543866	0.39	02-13-09-06
135	500000424300	0.178369298	0.39	02-13-09-06
136	500001951400	0.049106371	0.39	02-13-09-03
137	500002473505	0.070265857	0.39	02-13-09-06
138	500006087200	0.187944549	0.39	02-13-09-03

Table 7- Pre February 2014 Septic System Connections to Wastewater Treatment Plant

OBJECTID	ACCOUNT_NO	Imper_Acres	Imperv_Credit	WATERSHED_CODE
139	500006542180	1.024297213	0.39	02-13-09-06
141	500008462600	0.100997579	0.39	02-13-09-06
142	500009058000	0.32269929	0.39	02-13-09-03
143	500009493100	0.557532269	0.39	02-13-09-06
144	500012894000	0.054448233	0.39	02-13-09-06
145	500013830801	1.167271288	0.39	02-13-09-06
146	500014555800	0.09963856	0.39	02-13-09-03
147	500017330000	0.593211511	0.39	02-13-09-06
148	500090043832	0.679500388	0.39	02-13-09-06
149	500090102163	0.16397526	0.39	02-13-09-03
150	500090231191	0.053833391	0.39	02-13-09-03
151	523006701947	0.206353881	0.39	02-13-09-03
152	531790232989	0.025917398	0.39	02-13-09-03
153	532307409200	0.043423428	0.39	02-13-09-03
154	532607540400	0.071136686	0.39	02-13-09-03
155	532613322400	0.063047159	0.39	02-13-09-03
156	532690041931	0.066618058	0.39	02-13-09-03
157	562514992620	0.128134228	0.39	02-13-09-03
158	562515497500	0.069235135	0.39	02-13-09-03
159	574803441235	0.052847527	0.39	02-13-09-03
160	700000072800	0.071764581	0.39	02-13-10-05
161	700000078800	0.634978967	0.39	02-13-10-05
162	700000150150	0.408199482	0.39	02-13-10-05
163	700000320600	0.258584242	0.39	02-13-10-05
164	700000611800	0.144325686	0.39	02-13-10-05
165	700000761185	0.107955077	0.39	02-13-10-05
166	700000898800	0.275652528	0.39	02-13-10-05
167	700000974800	0.017265263	0.39	02-13-10-05
168	700000985900	0.074774624	0.39	02-13-10-05
169	700001113000	0.075719808	0.39	02-13-10-05
170	700001239050	0.077858958	0.39	02-13-10-05
171	700001254400	0.300441425	0.39	02-13-10-05
172	700001385900	0.117440435	0.39	02-13-10-05

Table 7- Pre February 2014 Septic System Connections to Wastewater Treatment Plant

OBJECTID	ACCOUNT_NO	Imper_Acres	Imperv_Credit	WATERSHED_CODE
173	700001513400	0.171260796	0.39	02-13-10-04
174	700001561000	0.071439108	0.39	02-13-10-05
175	700001650615	0.056854218	0.39	02-13-10-05
176	700001709400	0.061627117	0.39	02-13-10-05
177	700001767005	0.560466997	0.39	02-13-10-05
178	700001803208	0.263304174	0.39	02-13-10-05
179	700002067100	0.153072456	0.39	02-13-10-05
180	700002182000	1.866776762	0.39	02-13-10-05
181	700002659000	0.077741942	0.39	02-13-10-05
182	700002664230	0.206389255	0.39	02-13-10-05
183	700002935800	0.055171205	0.39	02-13-10-05
184	700002941400	0.350148545	0.39	02-13-10-05
185	700002942800	0.218707687	0.39	02-13-10-05
186	700002997400	0.034263068	0.39	02-13-10-05
187	700002999275	0.116952346	0.39	02-13-10-05
188	700003010000	0.194613054	0.39	02-13-10-05
189	700003105755	0.13381301	0.39	02-13-10-04
190	700003109450	0.074115683	0.39	02-13-10-05
191	700003170300	0.147362084	0.39	02-13-10-05
192	700003259600	0.138867406	0.39	02-13-10-05
193	700003510500	0.048106598	0.39	02-13-10-05
194	700003546300	0.11078484	0.39	02-13-10-05
195	700003675200	0.053649527	0.39	02-13-10-05
196	700003676400	0.024663869	0.39	02-13-10-05
197	700003885700	0.177242288	0.39	02-13-10-04
198	700003916500	0.102617371	0.39	02-13-10-05
199	700004147450	0.17645017	0.39	02-13-10-05
200	700004433115	0.174402689	0.39	02-13-10-05
201	700004707400	0.175139645	0.39	02-13-10-05
202	700004744860	0.085101615	0.39	02-13-10-05
203	700004767210	0.113590054	0.39	02-13-10-05
204	700004768708	1.65263622	0.39	02-13-10-05
205	700005075000	0.025804386	0.39	02-13-10-05

Table 7- Pre February 2014 Septic System Connections to Wastewater Treatment Plant

OBJECTID	ACCOUNT_NO	Imper_Acres	Imperv_Credit	WATERSHED_CODE
206	700005080600	0.074091778	0.39	02-13-10-05
207	700005082000	0.081541647	0.39	02-13-10-05
208	700005255013	0.032926942	0.39	02-13-10-05
209	700005398000	0.355971761	0.39	02-13-10-05
210	700090006233	0.042143255	0.39	02-13-10-05
211	700090021029	0.061917168	0.39	02-13-10-05
212	700090028117	0.414417431	0.39	02-13-10-05
213	700090220625	0.112697492	0.39	02-13-10-05
214	700100054600	0.076188326	0.39	02-13-10-04
215	700102651605	0.044032767	0.39	02-13-10-04
216	700102811200	0.026516551	0.39	02-13-10-04
217	700190235682	0.001104547	0.39	02-13-10-04
218	704601689800	0.001608889	0.39	02-13-10-04
219	800090100548	36.59327117	0.39	02-13-10-05
220	857900891800	0.09253685	0.39	02-13-10-05
		Total	70.2	

Table 8- Post Feb 2014 Septic System Connections to Wasterwater Treatment Plant

OBJECTID	ACCOUNT_NO	Imper_Acres	Imperv_Credit	WATERSHED_CODE
1	100090060685	1.780129192	0.39	02-13-10-03
6	204707114100	0.182615541	0.39	02-13-10-02
45	300090030173	0.149042706	0.39	02-13-10-01
57	345509726800	0.071890789	0.39	02-13-09-03
68	366223678522	0.14040324	0.39	02-13-10-02
75	390600030100	0.060858447	0.39	02-13-09-03
76	390600034987	0.087329846	0.39	02-13-09-03
77	390600865125	0.099001676	0.39	02-13-09-03
79	390608517999	0.082584864	0.39	02-13-09-03
80	390608550210	0.058881399	0.39	02-13-09-03
81	390609312776	0.092548543	0.39	02-13-09-03
82	390611110600	0.074566125	0.39	02-13-09-03
83	390611754547	0.070230864	0.39	02-13-09-03
84	390612285300	0.036017055	0.39	02-13-09-03
85	390612879920	0.053793805	0.39	02-13-09-03
86	390613221805	0.079864661	0.39	02-13-09-03
87	390613702505	0.052890125	0.39	02-13-09-03
88	390613977000	0.067399866	0.39	02-13-09-03
91	390615486297	0.043516643	0.39	02-13-09-03
92	390615607240	0.070393067	0.39	02-13-09-03
93	390615910600	0.100471603	0.39	02-13-09-03
94	390617326433	0.098228183	0.39	02-13-09-03
95	390618810500	0.06589814	0.39	02-13-09-03
96	390619202300	0.087948933	0.39	02-13-09-03
97	390619522300	0.107432654	0.39	02-13-09-03
98	390621575060	0.093857665	0.39	02-13-09-03
99	390621651608	0.06072404	0.39	02-13-09-03
100	390622293900	0.063919911	0.39	02-13-09-03
101	390625192050	0.093968186	0.39	02-13-09-03
102	390625200150	0.060890109	0.39	02-13-09-03
103	390626494300	0.063471121	0.39	02-13-09-03
104	390628077580	0.042435783	0.39	02-13-09-03
105	390629339800	0.073892453	0.39	02-13-09-03
106	390630050950	0.093124683	0.39	02-13-09-03
108	390632555200	0.070112635	0.39	02-13-09-03
109	390633684600	0.067063464	0.39	02-13-09-03
110	390633809400	0.052179037	0.39	02-13-09-03
111	390633968575	0.071510404	0.39	02-13-09-03
112	390634395200	0.058547384	0.39	02-13-09-03
140	500007714000	0.387559912	0.39	02-13-09-03
		Total	15.6	

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
1	100000301600	0.388719146	0.26	02-13-10-04
2	100000938000	0.179899239	0.26	02-13-10-04
3	100001286600	0.270480147	0.26	02-13-10-05
4	100001485400	0.207788498	0.26	02-13-10-03
5	100003834600	0.072269145	0.26	02-13-10-04
6	100004042200	0.193957955	0.26	02-13-10-04
7	100004673200	8.930060751	0.26	02-13-10-03
8	100005796100	0.238374472	0.26	02-13-10-04
9	100005796453	1.789668704	0.26	02-13-10-04
10	100005901800	0.120376613	0.26	02-13-10-04
11	100006067800	0.535152224	0.26	02-13-11-04
12	100006524000	1.078362333	0.26	02-13-11-04
13	100006729100	0.065304549	0.26	02-13-10-05
14	100007259500	0.113350647	0.26	02-13-10-04
15	100007691600	0.416202267	0.26	02-13-10-04
16	100008304510	0.627643262	0.26	02-13-10-04
17	100008443420	0.102067624	0.26	02-13-10-04
18	100009056500	0.195725184	0.26	02-13-10-04
19	100009171550	0.169226545	0.26	02-13-10-03
20	100090033083	0.019848561	0.26	02-13-10-03
21	100090049483	0.073496173	0.26	02-13-11-04
22	100090064784	0.431790248	0.26	02-13-11-04
24	100090220785	0.223177045	0.26	02-13-10-04
25	102890061305	0.121505044	0.26	02-13-11-04
26	102990085254	0.231429883	0.26	02-13-10-03
27	102990085255	0.24902135	0.26	02-13-10-03
28	104790073284	0.150538835	0.26	02-13-10-04
30	124000372800	0.066036597	0.26	02-13-10-03
31	124000812000	0.100959024	0.26	02-13-10-03
32	124000882100	0.047567945	0.26	02-13-10-03
34	124006956875	0.209128232	0.26	02-13-10-03
35	124007639820	0.059674003	0.26	02-13-10-03
36	124090017424	0.128574818	0.26	02-13-10-03
37	124090046535	0.117402978	0.26	02-13-10-03
38	124090089156	0.114430502	0.26	02-13-10-03
39	126890030301	0.120850286	0.26	02-13-11-04
40	126890030302	0.144291472	0.26	02-13-11-04
41	126890085639	0.168101336	0.26	02-13-11-04
42	138690215968	0.567727381	0.26	02-13-10-03
43	150705258032	0.166462436	0.26	02-13-11-04
44	159890035518	0.33569433	0.26	02-13-10-03
45	175002344600	0.061970289	0.26	02-13-10-03
46	175006097055	0.047154639	0.26	02-13-10-03
47	175006999800	0.082547704	0.26	02-13-10-03
48	192290089071	0.123152328	0.26	02-13-11-04
49	200001999000	0.037688954	0.26	02-13-10-03

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
50	200004158455	0.115560912	0.26	02-13-11-05
51	200004335000	0.225262662	0.26	02-13-10-03
52	200007604059	0.209034108	0.26	02-13-10-03
53	200008626500	0.294788071	0.26	02-13-10-03
54	200008922477	0.059611146	0.26	02-13-10-02
55	200010381000	0.200469988	0.26	02-13-10-03
56	200012083400	0.172438217	0.26	02-13-10-02
57	200012279400	0.053269281	0.26	02-13-10-03
58	200012728510	0.009122663	0.26	02-13-10-03
59	200090004204	0.687267634	0.26	02-13-10-03
60	200090039780	0.210749652	0.26	02-13-10-03
61	200090048646	0.255485536	0.26	02-13-10-03
63	200090065102	0.207662788	0.26	02-13-10-02
64	200090066620	0.203649348	0.26	02-13-10-02
65	200090071452	0.247460263	0.26	02-13-10-03
66	200090086959	0.036274286	0.26	02-13-10-02
67	200090086963	0.099959769	0.26	02-13-10-02
68	200090086971	0.134827535	0.26	02-13-10-02
69	200090088073	0.16344606	0.26	02-13-10-03
70	200090093875	0.126344653	0.26	02-13-10-02
71	200090232304	0.110435713	0.26	02-13-10-02
72	200090232909	2.84717E-05	0.26	02-13-10-02
73	200390014828	0.317674035	0.26	02-13-10-03
74	203907173518	0.121633704	0.26	02-13-10-03
75	216090045557	0.117278989	0.26	02-13-10-02
76	219690067764	0.145040017	0.26	02-13-10-02
77	219690067767	0.227611408	0.26	02-13-10-02
78	224002487200	0.031708212	0.26	02-13-10-02
79	224002763600	0.076032314	0.26	02-13-10-02
80	224003420205	0.061418892	0.26	02-13-10-02
81	224004242813	0.02383947	0.26	02-13-10-02
82	224005186005	0.034743768	0.26	02-13-10-02
83	224005296000	0.050611869	0.26	02-13-10-02
84	224007991430	0.074801651	0.26	02-13-10-02
85	224009319430	0.077217912	0.26	02-13-10-02
86	224010108000	0.022573909	0.26	02-13-10-02
87	224090017394	0.232749465	0.26	02-13-10-02
88	224090038921	0.031894681	0.26	02-13-10-02
89	224090071058	0.029625252	0.26	02-13-10-02
90	224090226068	0.203531191	0.26	02-13-10-02
91	225890217720	0.151500157	0.26	02-13-10-03
92	228001835825	0.060121531	0.26	02-13-10-03
93	232100385500	0.105423115	0.26	02-13-10-03
94	232102219000	0.084335931	0.26	02-13-10-03
95	232109465400	0.048722592	0.26	02-13-10-03
96	232109760805	0.059001932	0.26	02-13-10-03

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
97	238500204700	0.043857376	0.26	02-13-10-03
98	238501388200	0.13307757	0.26	02-13-10-03
99	239490009727	0.16402529	0.26	02-13-10-02
100	239690062360	0.187882572	0.26	02-13-10-03
101	241300282515	0.029849318	0.26	02-13-10-02
102	241301542825	0.052204646	0.26	02-13-10-02
103	241301664150	0.022167579	0.26	02-13-10-02
104	241301713700	0.023660517	0.26	02-13-10-02
105	241302469527	0.044533424	0.26	02-13-10-02
106	241302786504	0.008009322	0.26	02-13-10-02
107	241302899400	0.053742008	0.26	02-13-10-02
108	241302969400	0.063559883	0.26	02-13-10-02
109	241303171615	0.075319694	0.26	02-13-10-02
110	241303368700	0.042115025	0.26	02-13-10-02
111	241303368750	0.001114485	0.26	02-13-10-02
112	241303368950	0.056375169	0.26	02-13-10-02
113	241303368986	0.027488796	0.26	02-13-10-02
114	241303368987	0.037654352	0.26	02-13-10-02
115	241303939600	0.037633915	0.26	02-13-10-02
116	241303993900	0.027393528	0.26	02-13-10-02
117	241304219300	0.079300247	0.26	02-13-10-02
118	241304291585	0.049487325	0.26	02-13-10-02
119	241304851000	0.034350488	0.26	02-13-10-02
120	241305110915	0.039103901	0.26	02-13-10-02
121	241305338273	0.077900697	0.26	02-13-10-02
122	241306205929	0.044361166	0.26	02-13-10-02
123	241307659400	0.049729335	0.26	02-13-10-02
124	241307676900	0.050269661	0.26	02-13-10-02
125	241307948700	0.043562012	0.26	02-13-10-02
126	241308061100	0.003226169	0.26	02-13-10-02
127	241308079400	0.043819625	0.26	02-13-10-02
128	241308181601	0.063495301	0.26	02-13-10-02
129	241308402900	0.091310441	0.26	02-13-10-02
130	241308682100	0.06296608	0.26	02-13-10-02
131	241308782000	0.048190596	0.26	02-13-10-02
132	241309383003	0.040849035	0.26	02-13-10-02
133	241309549900	0.012608647	0.26	02-13-10-02
134	241310183600	0.031403821	0.26	02-13-10-02
135	241310705406	0.060894339	0.26	02-13-10-02
136	241311068400	0.017742592	0.26	02-13-10-02
137	241311069900	0.018212525	0.26	02-13-10-02
138	241311072600	0.044811288	0.26	02-13-10-02
139	241311193760	0.067944697	0.26	02-13-10-02
140	241312087000	0.038413447	0.26	02-13-10-02
142	241312521603	0.090197471	0.26	02-13-10-02
143	241312570450	0.033865923	0.26	02-13-10-02

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
144	241312608400	0.155604002	0.26	02-13-10-02
145	241312747000	0.035847017	0.26	02-13-10-02
146	241390001609	0.081454929	0.26	02-13-10-02
147	241390010582	0.021762924	0.26	02-13-10-02
148	241390017795	0.045098983	0.26	02-13-10-02
149	241390018112	0.050798829	0.26	02-13-10-02
150	241390029190	0.021372088	0.26	02-13-10-02
151	241390029768	0.043637353	0.26	02-13-10-02
152	241390035439	0.075352471	0.26	02-13-10-02
153	241390040172	0.089428291	0.26	02-13-10-02
154	241390078567	0.087943494	0.26	02-13-10-02
155	241390081246	0.103722465	0.26	02-13-10-02
156	241390093690	0.070940248	0.26	02-13-10-02
157	241390097134	0.030929746	0.26	02-13-10-02
158	241390217352	0.075861744	0.26	02-13-10-02
159	241390217354	0.078576075	0.26	02-13-10-02
160	241390217937	0.002836542	0.26	02-13-10-02
161	241390224748	0.044247595	0.26	02-13-10-02
162	241390232570	0.077946544	0.26	02-13-10-02
163	241490217983	0.168479589	0.26	02-13-10-03
164	241490217984	0.148252184	0.26	02-13-10-03
165	241490217987	0.126944603	0.26	02-13-10-03
166	241490217989	0.230673001	0.26	02-13-10-03
167	241490217990	0.158765677	0.26	02-13-10-03
168	241490217992	0.000959264	0.26	02-13-10-03
169	241490217993	0.00375834	0.26	02-13-10-03
170	241490217994	0.11097041	0.26	02-13-10-03
171	241490217996	0.306895961	0.26	02-13-10-03
172	247004450600	0.063983484	0.26	02-13-11-05
173	253004259300	0.022790492	0.26	02-13-10-02
174	253006907600	0.037166524	0.26	02-13-10-02
175	253009251600	0.000572567	0.26	02-13-10-02
176	253090017785	0.13041981	0.26	02-13-10-02
177	253090231079	0.044791587	0.26	02-13-10-02
178	253990228941	0.155956793	0.26	02-13-10-02
179	254506276200	4.33768E-05	0.26	02-13-10-02
180	256390037307	0.219677829	0.26	02-13-10-02
181	256390037308	0.313793211	0.26	02-13-10-02
182	256390037311	0.280642785	0.26	02-13-10-02
183	260506614000	0.129651461	0.26	02-13-10-02
185	260801723825	0.113400327	0.26	02-13-10-02
186	260803171506	0.040445448	0.26	02-13-10-02
187	260807235425	0.075182574	0.26	02-13-10-02
188	260807837200	0.046657834	0.26	02-13-10-02
189	260810699600	0.272861852	0.26	02-13-10-02
190	260811042000	0.087225595	0.26	02-13-10-02

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
191	260812221700	0.054975411	0.26	02-13-10-02
192	260890073880	0.106882905	0.26	02-13-10-02
193	263590050758	0.064901464	0.26	02-13-11-04
194	266490078327	0.107835078	0.26	02-13-10-02
195	267102850494	0.124568154	0.26	02-13-10-03
196	270507954810	0.131101648	0.26	02-13-10-02
197	271390009597	0.210069938	0.26	02-13-10-02
198	271990053802	0.300073673	0.26	02-13-10-03
199	271990053807	0.140892849	0.26	02-13-10-03
200	272004304910	0.055209965	0.26	02-13-10-02
201	272006256927	0.053680589	0.26	02-13-10-02
202	272007508400	0.068025641	0.26	02-13-10-02
203	272008013500	0.068704839	0.26	02-13-10-02
204	272008910330	0.061994357	0.26	02-13-10-02
205	272010206350	0.080085207	0.26	02-13-10-02
206	274706596200	0.048156228	0.26	02-13-10-03
207	274712468406	0.043633777	0.26	02-13-10-03
208	274801468600	0.070433647	0.26	02-13-10-02
209	274801928930	3.42083E-05	0.26	02-13-10-02
210	274803108375	0.066493315	0.26	02-13-10-02
211	274803196825	0.063394822	0.26	02-13-10-02
212	274803197300	0.129742273	0.26	02-13-10-02
213	274803229350	0.083525868	0.26	02-13-10-02
214	274803319600	0.096523065	0.26	02-13-10-02
215	274804269800	0.069084829	0.26	02-13-10-02
216	274805129600	0.071421416	0.26	02-13-10-02
217	274807241600	0.077103154	0.26	02-13-10-02
218	274807816200	0.077544294	0.26	02-13-10-02
219	274807972353	0.157975912	0.26	02-13-10-02
220	274808238420	0.111897165	0.26	02-13-10-02
221	274810774290	0.050298699	0.26	02-13-10-02
222	274810943800	0.100279008	0.26	02-13-10-02
223	274811909900	0.061944803	0.26	02-13-10-02
224	274812197100	0.080483406	0.26	02-13-10-02
225	274890025660	0.056560967	0.26	02-13-10-02
226	275790030089	0.121586097	0.26	02-13-10-03
227	275790030092	0.140792505	0.26	02-13-10-03
228	275790030118	0.152108928	0.26	02-13-10-03
229	287590036834	0.090091097	0.26	02-13-10-02
230	294602766200	0.12558671	0.26	02-13-10-03
231	294607248485	0.141628338	0.26	02-13-10-03
232	294608600600	0.409269651	0.26	02-13-10-03
233	294690016434	0.262207325	0.26	02-13-10-03
234	296090038785	0.269519839	0.26	02-13-10-03
235	296090038792	0.268586871	0.26	02-13-10-03
236	296090038803	0.168649017	0.26	02-13-10-03

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
237	296090042345	0.362611167	0.26	02-13-10-03
238	297690067687	0.167199197	0.26	02-13-10-02
239	297690067691	0.208491333	0.26	02-13-10-02
240	300000215620	0.23993501	0.26	02-13-10-01
241	300000389200	0.074399827	0.26	02-13-10-02
242	300000918500	0.109858484	0.26	02-13-10-02
243	300001234800	0.04805132	0.26	02-13-09-02
244	300001899800	0.173772215	0.26	02-13-10-01
245	300001901560	0.126988044	0.26	02-13-09-03
246	300006171200	0.098589666	0.26	02-13-10-02
247	300007596800	0.352390873	0.26	02-13-10-02
248	300012053010	0.152677531	0.26	02-13-10-01
249	300012607000	0.123678264	0.26	02-13-10-02
250	300013002316	0.222079658	0.26	02-13-10-01
251	300013121000	0.112585826	0.26	02-13-10-01
252	300013149900	0.115461042	0.26	02-13-10-02
253	300013552020	0.077349921	0.26	02-13-09-03
254	300013682005	0.11188328	0.26	02-13-09-03
255	300013739600	0.078722545	0.26	02-13-10-02
256	300014660500	0.074297433	0.26	02-13-10-02
257	300015402800	0.001413665	0.26	02-13-10-01
258	300015559600	0.057542494	0.26	02-13-10-02
259	300017176600	0.068037267	0.26	02-13-10-01
260	300017726800	0.219056723	0.26	02-13-10-01
261	300018427500	0.067389498	0.26	02-13-10-01
262	300018955080	1.852539033	0.26	02-13-10-02
263	300019581000	0.225051603	0.26	02-13-10-02
264	300019700400	0.158605385	0.26	02-13-09-03
266	300021012580	1.213793289	0.26	02-13-10-02
267	300026037200	0.176997666	0.26	02-13-10-01
268	300028243000	0.301565521	0.26	02-13-10-01
269	300028387600	0.111487009	0.26	02-13-10-01
270	300029141000	0.353353893	0.26	02-13-10-02
271	300030236316	0.058743921	0.26	02-13-09-02
272	300032092700	0.057553567	0.26	02-13-09-03
273	300090004809	0.074755792	0.26	02-13-10-01
274	300090026376	0.355431121	0.26	02-13-10-02
275	300090029749	0.152729678	0.26	02-13-10-01
276	300090030170	0.001745224	0.26	02-13-10-02
277	300090031197	0.042651403	0.26	02-13-09-03
278	300090035230	0.054686467	0.26	02-13-10-02
279	300090037162	0.156507502	0.26	02-13-10-01
280	300090043740	0.151262782	0.26	02-13-10-01
281	300090045125	0.055075272	0.26	02-13-10-01
282	300090046079	0.091304339	0.26	02-13-09-03
283	300090061771	0.239842241	0.26	02-13-10-01

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
284	300090066918	0.090728056	0.26	02-13-10-01
285	300090074437	0.714505324	0.26	02-13-10-02
286	300090079950	0.130374869	0.26	02-13-10-01
287	300090094937	0.138449789	0.26	02-13-10-02
288	300090100003	0.181767851	0.26	02-13-10-01
289	300090212016	0.077302493	0.26	02-13-10-01
290	300090221080	0.443410202	0.26	02-13-10-01
291	300090221610	0.122937607	0.26	02-13-10-01
292	300090221611	0.092548341	0.26	02-13-10-01
293	300090221612	0.178702544	0.26	02-13-10-01
294	300090227167	0.09716123	0.26	02-13-10-02
295	300090227168	0.107795533	0.26	02-13-10-02
296	300090227169	0.097234168	0.26	02-13-10-02
299	301418783440	0.050633616	0.26	02-13-09-02
300	302006553400	0.167046501	0.26	02-13-09-03
301	302013838675	0.035299454	0.26	02-13-09-03
302	302501790550	0.22156806	0.26	02-13-10-02
303	302509513608	0.189422175	0.26	02-13-10-02
304	302514485800	0.244184082	0.26	02-13-10-02
305	302518378079	0.121187054	0.26	02-13-10-02
306	302529930100	0.262575443	0.26	02-13-10-02
307	302532851910	0.094725668	0.26	02-13-10-02
308	303210056875	0.082146006	0.26	02-13-09-02
309	303290082903	0.141657749	0.26	02-13-09-02
310	303714089600	0.141270858	0.26	02-13-10-01
311	305714809900	0.071840738	0.26	02-13-09-02
312	305721578230	0.065651577	0.26	02-13-09-02
313	305733069951	0.091995742	0.26	02-13-09-02
314	305790004992	0.069816975	0.26	02-13-09-02
315	305790215306	0.191579793	0.26	02-13-09-02
316	306333968325	0.000538021	0.26	02-13-09-02
317	307518867400	0.096375682	0.26	02-13-10-01
318	307534344300	0.187516157	0.26	02-13-10-01
319	307590019195	0.323487507	0.26	02-13-10-01
320	308000766708	0.080457107	0.26	02-13-09-03
321	308002515673	0.016424609	0.26	02-13-09-03
322	308003321900	0.067807462	0.26	02-13-09-02
323	308004978390	0.030767741	0.26	02-13-09-02
324	308015615079	0.073454448	0.26	02-13-09-03
325	308015908300	0.13140511	0.26	02-13-09-03
326	308024797990	0.116931691	0.26	02-13-09-02
327	308025049600	0.116972257	0.26	02-13-09-02
328	308027004600	0.047299579	0.26	02-13-09-03
329	308027230350	0.118946713	0.26	02-13-09-03
330	308027428800	0.512974229	0.26	02-13-09-02
331	308030176200	0.190655376	0.26	02-13-09-02

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
332	308031835100	0.085971607	0.26	02-13-09-03
333	308033195200	0.12695585	0.26	02-13-09-02
334	308090093638	0.09263204	0.26	02-13-09-03
335	308590060601	0.18081576	0.26	02-13-10-01
336	309011806900	0.094163592	0.26	02-13-09-03
337	309309704117	0.107043834	0.26	02-13-10-02
338	309390033507	0.044404754	0.26	02-13-10-02
339	309390082511	0.108200193	0.26	02-13-10-02
340	309390221400	0.015586983	0.26	02-13-10-02
341	309509874200	0.121339263	0.26	02-13-10-01
342	309512063810	0.104348104	0.26	02-13-10-01
343	309513880700	0.037057576	0.26	02-13-10-01
344	309514816500	0.059851875	0.26	02-13-10-01
345	311000848524	0.076950163	0.26	02-13-09-02
346	311000848555	0.094674296	0.26	02-13-09-02
347	311000848561	0.073775141	0.26	02-13-09-02
348	311002229410	0.151353823	0.26	02-13-09-02
349	311025849600	0.169615024	0.26	02-13-09-02
350	311027897800	0.046029999	0.26	02-13-09-02
351	311034311500	0.111458087	0.26	02-13-09-02
352	312090060274	0.102787817	0.26	02-13-10-01
353	313019947108	0.162314419	0.26	02-13-09-02
354	313026017300	0.193171141	0.26	02-13-09-02
355	313090222032	0.027123591	0.26	02-13-09-02
356	313090222033	0.000595493	0.26	02-13-09-02
357	313090229229	0.09249152	0.26	02-13-09-02
358	313090235123	0.048762506	0.26	02-13-09-02
359	313801605835	0.00734751	0.26	02-13-10-01
360	313808457430	0.058333682	0.26	02-13-10-01
361	313809143005	0.064395739	0.26	02-13-10-01
362	313817543820	0.004250231	0.26	02-13-10-01
363	313819107265	0.078962416	0.26	02-13-10-01
364	313821116603	0.096668441	0.26	02-13-10-01
365	313822083385	0.048353697	0.26	02-13-10-01
366	313827304200	0.059680337	0.26	02-13-10-01
367	313827307712	0.041371258	0.26	02-13-10-01
368	313828147222	0.066187035	0.26	02-13-10-01
369	313828263005	0.053384602	0.26	02-13-10-01
370	313890008343	0.050036848	0.26	02-13-10-01
371	313890023912	0.040415079	0.26	02-13-10-01
372	313890025628	0.06348179	0.26	02-13-10-01
373	313890025714	0.051678986	0.26	02-13-10-01
374	313890029389	0.058389593	0.26	02-13-10-01
375	313890029494	0.134428652	0.26	02-13-10-01
376	313890048983	0.065241156	0.26	02-13-10-01
377	313890050262	0.044504657	0.26	02-13-10-01

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
378	313890083961	0.055085937	0.26	02-13-10-01
379	313890220810	0.049286079	0.26	02-13-10-01
380	313890226184	0.049299085	0.26	02-13-10-01
381	314611405262	0.06527632	0.26	02-13-09-03
382	314690002371	0.051117595	0.26	02-13-09-03
383	314790222735	0.324940228	0.26	02-13-10-02
384	314790222736	0.324940228	0.26	02-13-10-02
385	315302103560	0.088285189	0.26	02-13-10-01
386	315390216473	0.096699835	0.26	02-13-10-01
387	317804861025	0.246415098	0.26	02-13-10-01
388	318001884036	0.122943281	0.26	02-13-10-02
389	318501003250	0.057978747	0.26	02-13-10-01
390	318501602905	0.104768717	0.26	02-13-10-01
391	318502282825	0.01844227	0.26	02-13-10-01
392	318504705409	0.089554621	0.26	02-13-10-01
393	318511793610	0.045247548	0.26	02-13-10-01
394	318512092700	0.052059299	0.26	02-13-10-01
395	318514749700	0.0448687	0.26	02-13-10-01
396	318527270650	0.0639239	0.26	02-13-10-01
397	318527866325	0.088284359	0.26	02-13-10-01
398	318528109000	0.071620565	0.26	02-13-10-01
399	318531895100	0.065203538	0.26	02-13-10-01
400	318534200800	0.019403355	0.26	02-13-10-01
401	318590002263	0.060286779	0.26	02-13-10-01
402	318590092783	0.084255553	0.26	02-13-10-01
403	318890064806	0.232656253	0.26	02-13-10-01
404	320018378050	0.032097536	0.26	02-13-10-01
405	320028863150	0.056138595	0.26	02-13-10-01
406	321728165200	0.075851921	0.26	02-13-10-01
407	325001619800	0.041006595	0.26	02-13-10-01
408	325012898500	0.090277665	0.26	02-13-10-01
409	326928991895	0.072764485	0.26	02-13-10-01
410	329502266600	0.122305589	0.26	02-13-09-02
411	329508005900	0.02186701	0.26	02-13-09-02
412	329522201305	0.164696306	0.26	02-13-09-02
413	329525542000	0.091258801	0.26	02-13-09-02
414	329532010000	0.080079874	0.26	02-13-09-02
415	335012476800	0.22834924	0.26	02-13-10-01
416	335019971700	0.131918154	0.26	02-13-10-01
417	335025794450	0.147324246	0.26	02-13-10-01
418	335027829400	0.188119373	0.26	02-13-10-01
419	335028076015	0.124110983	0.26	02-13-10-01
420	336233231603	0.047228382	0.26	02-13-09-03
421	336403146100	0.231227314	0.26	02-13-10-02
422	338503466510	0.034334322	0.26	02-13-09-02
423	338518261300	0.075837071	0.26	02-13-09-02

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
424	338520630350	0.128636987	0.26	02-13-09-02
425	338524449780	0.072611938	0.26	02-13-09-02
426	338524707200	0.017739322	0.26	02-13-09-02
427	338526557705	0.090961903	0.26	02-13-09-02
428	338526558150	0.080811133	0.26	02-13-09-02
429	339090080012	0.103434727	0.26	02-13-10-01
430	342819854300	0.084929114	0.26	02-13-10-02
431	343314723800	0.15524351	0.26	02-13-10-02
432	343326693005	0.102460551	0.26	02-13-10-02
433	344423364260	0.0518497	0.26	02-13-10-02
434	344802732801	0.090927493	0.26	02-13-10-01
435	344821639800	0.089988287	0.26	02-13-10-01
436	344825946800	0.070026007	0.26	02-13-10-01
437	346000396500	0.051756226	0.26	02-13-10-01
438	346008493252	0.051282559	0.26	02-13-10-01
439	346009029930	0.051990829	0.26	02-13-10-01
440	346013521900	0.219752011	0.26	02-13-10-01
441	346019674925	0.07352705	0.26	02-13-10-01
442	346022631150	0.054651945	0.26	02-13-10-01
443	346026074352	0.051102537	0.26	02-13-10-01
444	346027957900	0.042835638	0.26	02-13-10-01
445	346090085420	0.067710667	0.26	02-13-10-01
447	349708866200	0.075790568	0.26	02-13-09-03
448	349721323400	0.043497804	0.26	02-13-09-03
449	349732962900	0.074216961	0.26	02-13-09-03
450	350300848400	0.064925754	0.26	02-13-10-01
451	350301835275	0.094278588	0.26	02-13-10-01
452	350306128353	0.070228264	0.26	02-13-10-01
453	350309021600	0.036763188	0.26	02-13-10-01
454	350310529050	0.06930354	0.26	02-13-10-01
455	350311622803	0.112734608	0.26	02-13-10-01
456	350314639815	0.050659339	0.26	02-13-10-01
457	350315925025	0.086934575	0.26	02-13-10-01
458	350317698800	0.075471765	0.26	02-13-10-01
459	350319998150	0.098287462	0.26	02-13-10-01
460	350323472700	0.099021201	0.26	02-13-10-01
461	350328009300	0.101566899	0.26	02-13-10-01
462	350328355400	0.092028144	0.26	02-13-10-01
463	350328737800	0.08741795	0.26	02-13-10-01
464	350329597250	0.053424908	0.26	02-13-10-01
465	350331831900	0.075694236	0.26	02-13-10-01
466	350332732508	0.08091317	0.26	02-13-10-01
467	350333359475	0.056426393	0.26	02-13-10-01
468	350390226516	0.048773613	0.26	02-13-10-01
469	350890061733	0.120284263	0.26	02-13-10-01
470	351690071778	0.109413469	0.26	02-13-10-01

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
471	352132093055	0.078253796	0.26	02-13-10-01
472	352190093683	0.104189027	0.26	02-13-10-01
473	352302408650	0.112248299	0.26	02-13-10-01
474	352302831005	0.106801092	0.26	02-13-10-01
475	352303447030	0.111480676	0.26	02-13-10-01
476	352308223425	0.079245989	0.26	02-13-10-01
477	352308233800	0.090022744	0.26	02-13-10-01
478	352308234300	0.078916841	0.26	02-13-10-01
479	352308438000	0.009579073	0.26	02-13-10-01
480	352313738200	0.040904951	0.26	02-13-10-01
481	352314204850	0.147921523	0.26	02-13-10-01
482	352317823900	0.035835341	0.26	02-13-10-01
483	352328754820	0.055340988	0.26	02-13-10-01
484	352332734200	0.152391285	0.26	02-13-10-01
485	352390221095	0.05675133	0.26	02-13-10-01
486	352990094952	0.099139525	0.26	02-13-10-01
487	354706143200	0.066486072	0.26	02-13-09-03
488	354719563500	0.000153593	0.26	02-13-09-03
489	354733320000	0.052320915	0.26	02-13-09-03
490	354734391200	0.103546394	0.26	02-13-09-03
491	355013717900	0.077409846	0.26	02-13-10-02
492	355226177200	0.097823176	0.26	02-13-10-02
493	359003081163	0.051071157	0.26	02-13-10-01
494	359006136250	0.142179846	0.26	02-13-10-01
495	359011894400	0.173161929	0.26	02-13-10-01
496	359690229175	0.110804244	0.26	02-13-10-01
497	359690229178	0.09654323	0.26	02-13-10-01
499	362014333200	0.068908514	0.26	02-13-10-01
500	363011165700	0.076409534	0.26	02-13-09-03
501	363017353700	0.206261321	0.26	02-13-09-03
502	363090002771	0.062100545	0.26	02-13-09-03
503	363090004598	0.164308221	0.26	02-13-09-03
504	363090020034	0.069652697	0.26	02-13-09-03
505	363090085232	0.055067818	0.26	02-13-09-03
506	363490011938	0.10092436	0.26	02-13-10-01
507	363490039956	0.070174725	0.26	02-13-10-01
508	363490040095	0.039388487	0.26	02-13-10-01
509	363490079760	0.112877533	0.26	02-13-10-01
510	365305002250	0.094918605	0.26	02-13-09-02
511	365312266258	0.138319425	0.26	02-13-09-02
512	365320781600	0.043111161	0.26	02-13-09-02
513	365321115027	0.078115037	0.26	02-13-09-02
514	365323550960	0.107213428	0.26	02-13-09-02
515	365324486650	0.058383938	0.26	02-13-09-02
516	365327869200	0.11849837	0.26	02-13-09-02
517	365328382600	0.064658725	0.26	02-13-09-02

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
518	365331706600	0.109848985	0.26	02-13-09-02
519	365390004432	0.151220348	0.26	02-13-09-02
520	365390102312	0.164900774	0.26	02-13-09-02
521	365611432080	0.020820666	0.26	02-13-10-02
522	365623609300	0.073321863	0.26	02-13-10-02
523	365628037900	0.007512819	0.26	02-13-10-02
524	365690052327	0.006399262	0.26	02-13-10-02
525	365710029900	0.055777374	0.26	02-13-10-01
526	365715583300	0.077954121	0.26	02-13-10-01
527	365731665400	0.066151481	0.26	02-13-10-01
528	365901265700	0.082995273	0.26	02-13-09-02
529	365901742300	0.085373569	0.26	02-13-09-02
530	365901818950	0.238513041	0.26	02-13-09-02
531	365902941000	0.065270165	0.26	02-13-09-02
532	365907981400	0.057529292	0.26	02-13-09-02
533	365908464400	0.096321661	0.26	02-13-09-02
534	365915112200	0.144300668	0.26	02-13-09-02
535	365915537262	0.111614383	0.26	02-13-09-02
536	365919364025	0.154044493	0.26	02-13-09-02
537	365927427400	0.177193254	0.26	02-13-09-02
538	365928008400	0.106813571	0.26	02-13-09-02
539	365990036529	0.046756163	0.26	02-13-09-02
540	365990222928	0.08251374	0.26	02-13-09-02
541	366000616500	0.120755885	0.26	02-13-09-03
542	366026483550	0.162658236	0.26	02-13-09-03
543	366114443150	0.079334386	0.26	02-13-10-02
544	366124663500	0.084923275	0.26	02-13-10-02
545	366190019170	0.221778691	0.26	02-13-10-02
546	366190052692	0.074633534	0.26	02-13-10-02
547	366190052693	0.063720415	0.26	02-13-10-02
548	366190052694	0.069418852	0.26	02-13-10-02
549	366190052696	0.074015528	0.26	02-13-10-02
550	366190052699	0.113157672	0.26	02-13-10-02
551	366190052702	0.1352882	0.26	02-13-10-02
552	366190052707	0.076815582	0.26	02-13-10-02
553	366190052711	0.094219927	0.26	02-13-10-02
554	366190052712	0.064039279	0.26	02-13-10-02
555	366190052713	0.073835997	0.26	02-13-10-02
556	366190052714	0.08039145	0.26	02-13-10-02
557	366190052720	0.067476014	0.26	02-13-10-02
558	366190052728	0.076575183	0.26	02-13-10-02
559	366190052731	0.069301424	0.26	02-13-10-02
560	366190052733	0.161379003	0.26	02-13-10-02
561	366190052737	0.077121234	0.26	02-13-10-02
562	367005914404	0.127668037	0.26	02-13-10-02
563	367522532230	0.063363268	0.26	02-13-10-01

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
564	367590010081	0.149953374	0.26	02-13-10-01
565	369209195300	0.156682863	0.26	02-13-10-01
566	369216615000	0.208119442	0.26	02-13-10-01
567	369290047645	0.138479077	0.26	02-13-10-01
568	369290060481	0.09873087	0.26	02-13-10-01
569	369403611000	0.039913582	0.26	02-13-09-03
570	369490009410	0.119269476	0.26	02-13-09-03
571	369614303810	0.056070393	0.26	02-13-09-03
572	369620898500	0.049308646	0.26	02-13-09-03
573	369622510600	0.054742309	0.26	02-13-09-03
574	369910758910	0.012138982	0.26	02-13-10-01
575	369925021030	0.105225605	0.26	02-13-10-01
576	369933685100	0.061147701	0.26	02-13-10-01
577	370128912810	0.05723103	0.26	02-13-09-03
578	370190029012	0.052642471	0.26	02-13-09-03
579	371711254600	0.157662857	0.26	02-13-10-02
580	373829062600	0.060107949	0.26	02-13-10-01
581	374090234991	0.001543014	0.26	02-13-09-02
582	374308141500	0.123220644	0.26	02-13-10-01
583	374326101300	0.149706338	0.26	02-13-10-01
584	374690087689	0.085061932	0.26	02-13-10-01
585	374706952600	0.070503339	0.26	02-13-10-02
586	374713591815	0.033591602	0.26	02-13-10-02
587	374713860502	0.055797215	0.26	02-13-10-02
588	374730212920	0.024720308	0.26	02-13-10-02
589	374903182800	0.254359412	0.26	02-13-10-01
590	374903587310	0.096106732	0.26	02-13-10-01
591	374907019900	0.278754447	0.26	02-13-10-01
592	374908881600	0.054301079	0.26	02-13-10-01
593	374912664100	0.0626467	0.26	02-13-10-01
594	374915154800	0.02523452	0.26	02-13-10-01
595	374915766800	0.037458459	0.26	02-13-10-01
596	374916536805	0.091032262	0.26	02-13-10-01
597	374918044900	0.206813097	0.26	02-13-10-01
598	374918120200	0.127422135	0.26	02-13-10-01
599	374918148200	0.120731344	0.26	02-13-10-01
600	374918610178	0.138701183	0.26	02-13-10-01
601	374927099510	0.120684246	0.26	02-13-10-01
602	374934123905	0.195444017	0.26	02-13-10-01
603	375319543100	0.111860754	0.26	02-13-10-01
604	375390011272	0.105713822	0.26	02-13-10-01
605	375390221949	0.048715472	0.26	02-13-10-01
606	375700843900	0.105272146	0.26	02-13-10-01
607	375727262900	0.062408671	0.26	02-13-10-01
608	377390053588	0.097905661	0.26	02-13-10-01
609	377490073685	0.178078576	0.26	02-13-10-01

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
610	377690068198	0.158045616	0.26	02-13-09-02
611	386310958100	0.085713347	0.26	02-13-10-01
612	386313708810	0.200339172	0.26	02-13-10-01
613	386390085778	0.075629053	0.26	02-13-10-01
614	388101566600	0.133491721	0.26	02-13-10-01
615	388102683775	0.034360497	0.26	02-13-10-01
616	388105873000	0.053197689	0.26	02-13-10-01
617	388106513505	0.076224745	0.26	02-13-10-01
618	388108320500	0.020532779	0.26	02-13-10-01
619	388114693000	0.129586005	0.26	02-13-10-01
620	388123452350	0.221062632	0.26	02-13-10-01
621	388125431100	0.075729037	0.26	02-13-10-01
622	388126426400	0.053736314	0.26	02-13-10-01
623	388129580500	0.113487154	0.26	02-13-10-01
624	388129898500	0.082275589	0.26	02-13-10-01
625	388132421722	0.033815762	0.26	02-13-10-01
626	388190034580	0.187364825	0.26	02-13-10-01
627	388190040240	0.062087969	0.26	02-13-10-01
628	388190221687	0.089793215	0.26	02-13-10-01
629	388602941401	0.101723582	0.26	02-13-09-03
630	388606931300	0.085333786	0.26	02-13-09-03
631	388608908500	0.091443835	0.26	02-13-09-03
632	388609709252	0.061301133	0.26	02-13-09-03
633	388618425000	0.05069508	0.26	02-13-09-03
634	388619629095	0.086067166	0.26	02-13-09-03
635	388619922051	0.028616069	0.26	02-13-09-03
636	388626456700	0.035184163	0.26	02-13-09-03
637	388631923000	0.069387157	0.26	02-13-09-03
638	388700296800	0.091831284	0.26	02-13-09-02
639	388707076400	0.073897482	0.26	02-13-09-02
640	388716253600	0.092117593	0.26	02-13-09-02
641	388790017382	0.142570435	0.26	02-13-09-02
642	388790036134	0.062220657	0.26	02-13-09-02
643	388790215093	0.171730575	0.26	02-13-09-02
644	388927820120	0.118715852	0.26	02-13-10-01
645	389625047406	0.068721723	0.26	02-13-09-03
646	390414428400	3.33821E-05	0.26	02-13-10-02
647	390415111908	0.097031416	0.26	02-13-10-02
648	390417784208	0.118342671	0.26	02-13-10-02
649	390423648100	0.069788445	0.26	02-13-10-02
650	390425242000	0.080087632	0.26	02-13-10-02
651	390431589800	0.061031594	0.26	02-13-10-02
652	390606934125	0.034730323	0.26	02-13-09-03
653	390690093849	0.063586419	0.26	02-13-09-03
654	390924369400	0.078359341	0.26	02-13-10-02
655	390924639857	0.129990681	0.26	02-13-10-02

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
656	390928367500	0.086202772	0.26	02-13-10-02
657	390932394460	0.013154047	0.26	02-13-10-02
658	391690027256	0.163022262	0.26	02-13-10-01
659	396190039494	0.163390354	0.26	02-13-10-02
661	400000538510	0.025891967	0.26	02-13-10-02
662	400000733616	0.076795059	0.26	02-13-10-02
664	400002427605	0.090720343	0.26	02-13-11-05
665	400003717100	0.109181476	0.26	02-13-10-02
666	400005683103	0.170943246	0.26	02-13-10-02
667	400006460301	0.066335637	0.26	02-13-09-03
670	405103523800	0.108853911	0.26	02-13-09-03
671	405700818600	0.072191271	0.26	02-13-10-02
672	405706042300	0.056530478	0.26	02-13-10-02
673	405790214430	0.062484191	0.26	02-13-10-02
674	416690065147	0.244972608	0.26	02-13-11-05
675	416690065148	0.234892449	0.26	02-13-11-05
676	425004496842	0.045991661	0.26	02-13-10-02
677	425090018777	0.079478892	0.26	02-13-10-02
678	425090049302	0.058225605	0.26	02-13-09-03
679	425090086331	0.061463529	0.26	02-13-10-02
680	432090081572	0.081490472	0.26	02-13-10-02
681	432101025000	0.07044601	0.26	02-13-10-02
682	432102072110	0.150147536	0.26	02-13-10-02
683	432102588600	0.066360991	0.26	02-13-10-02
684	432104446400	0.094251731	0.26	02-13-10-02
685	432104510400	0.11034849	0.26	02-13-10-02
686	432104922180	0.083606737	0.26	02-13-10-02
687	432106328100	0.120242468	0.26	02-13-11-05
688	432190217432	0.141428359	0.26	02-13-10-02
689	432204127205	0.044444331	0.26	02-13-10-02
690	441190224471	0.003130642	0.26	02-13-10-02
691	444403570000	0.1547305	0.26	02-13-09-06
692	457003723000	0.05810336	0.26	02-13-10-02
693	457090230518	0.077635762	0.26	02-13-10-02
694	474602587700	0.087595421	0.26	02-13-10-02
695	480203052612	0.099629016	0.26	02-13-10-03
696	480204537910	0.091479793	0.26	02-13-10-03
697	481490054585	0.189858406	0.26	02-13-10-02
698	500090059134	0.501417174	0.26	02-13-09-03
699	532309031175	0.03496957	0.26	02-13-09-03
700	700000478800	0.116752464	0.26	02-13-10-05
701	700001748100	0.293606191	0.26	02-13-10-04
702	700002414200	0.104140801	0.26	02-13-10-05
703	700002503200	0.587339131	0.26	02-13-10-04
704	700003136015	0.389580772	0.26	02-13-10-04
705	700003248800	0.218295602	0.26	02-13-10-05

Table 9- Pre February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
706	700004583600	0.272224804	0.26	02-13-10-05
707	700004707723	0.12981955	0.26	02-13-10-05
708	700090001227	0.551644637	0.26	02-13-10-05
709	715801873200	0.130436978	0.26	02-13-10-05
710	773800837607	0.0924876	0.26	02-13-10-04
711	773801947400	0.137658308	0.26	02-13-10-04
712	800000408820	0.181604072	0.26	02-13-11-02
713	800000492800	0.40100963	0.26	02-13-11-02
714	800001792225	0.266562248	0.26	02-13-10-05
715	800090044713	0.278584265	0.26	02-13-11-01
716	800690023442	0.107221367	0.26	02-13-11-02
717	804190036445	0.323121313	0.26	02-13-11-02
718	826701870800	0.085475058	0.26	02-13-10-05
719	828100152622	0.238710861	0.26	02-13-11-02
720	841100992500	0.131768997	0.26	02-13-10-05
721	841100992600	0.228160418	0.26	02-13-10-05
722	841190022257	0.104933065	0.26	02-13-10-05
723	848290058357	0.360164684	0.26	02-13-11-02
724	873590036305	0.319506207	0.26	02-13-11-01
725	874190100760	0.129833106	0.26	02-13-10-05
		Total	184.6	

Table 10- Post February 2014 Septic Systems Upgraded to ENR System

OBJECTID	ACCOUNT_NO	IMP_ACREAGE	IMP_CONTROLLED	WATERSHED_CODE
23	100090217465	0.074606753	0.26	02-13-10-05
29	116500231213	0.002771775	0.26	02-13-10-03
33	124004665000	0.01272428	0.26	02-13-10-03
62	200090054474	0.011189923	0.26	02-13-10-03
141	241312242963	0.042978863	0.26	02-13-10-02
184	260801169000	0.036533596	0.26	02-13-10-02
265	300019847260	0.009509335	0.26	02-13-10-02
297	300090234941	0.004571516	0.26	02-13-10-01
298	300090239177	0.042610929	0.26	02-13-09-02
446	347590229192	0.027542274	0.26	02-13-09-02
498	359690229179	0.008380667	0.26	02-13-10-01
660	400000092300	0.066191977	0.26	02-13-11-05
663	400001986815	0.310214131	0.26	02-13-10-02
668	400090238012	0.310214131	0.26	02-13-10-02
669	400090238014	0.310214131	0.26	02-13-10-02
		Total	3.9	